SAFETY DATA SHEET



HS158-MBFR-04-2023

Product Number: 158

MOULDBLOK FR

Description:

MOULDBLOCK FR, Mould-resistant fire-resistant coat is a fire protection coating which can be applied onto internal walls and ceilings, including lath and plaster surfaces. Tested to BS476 Part 20 (1987) to give up to one hour of fire protection.

This product comprises of the following materials and therefore is supported by Health & Safety Data Sheets:

(Appendix 17) MOULDBLOK FR

^{*}The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the user's own assessment of workplace risk as required by other health and safety legislation.

HS158-MBFR-04-2023 ISSUE 5

HEALTH & SAFETY INFORMATION SHEET APPENDIX 17

MOULDBLOK FR

14th April 2023

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

PRODUCT NAME: MOULDBLOK FR

MANUFACTURER/SUPPLIER: Envirograf

ADDRESS: Envirograf House, Barfrestone, Dover, Kent, CT15 7JG TELEPHONE/FAX/EMAIL: 01304 842555 01304 842666 sales@envirograf.com

EMERGENCY PHONE NUMBER: 01304 842555 (Monday to Friday 8.30 – 5.30)

PRODUCT USE: Coatings: Waterborne paint

2. HAZARDS IDENTIFICATION

Health effects:

Hazard Symbol

May product an allergic reaction

Skin May cause slight irritation on prolonged / repeated contact.

Eyes May cause some irritation.

Inhalation No hazard under normal conditions of use.

IngestionLow toxicity.Physical/chemical effectsNot applicable.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization

Aqueous (emulsion) polymer system.

Hazardous components: -

Biocidal ingredients-contains:

- 2-methyl isothiazol-3(2H)-one. < 0.0006%. CAS No. 2682-20-4 H301 / H330 / H314 / H318 / H317 / H400
- Pyrithione Zinc < 0.0006% Cas No. 13463-41-7 H301 / H330 / H318 / H400 / H 410
- 1,2-benzisothiazo-3(2H)-one <0.0006% Cas No. 2634-33-5 H330 / H318 / H315 / H317
- 5-chloro-2-methy-3(2H)-lisothiazolone / 2 methyl3(2H)-isothiazolone (3:1) < 0.0000026% H311 / H330 / H314 / H317 / H400 / H410 / H318

Labeling with: EUH208 Contains - 5-chloro-2-methy-3(2H)-lisothiazolone / 2 - methyl3(2H)-isothiazolone (3:1) - May cause allergic reaction.

4. FIRST AID MEASURES

Skin contact: Remove contaminated clothing and wash contaminated skin with soap and water. **Eye contact:** Wash with water for several minutes. If irritation persists seek medical advice.

Inhalation: Remove the casualty to fresh air.

Ingestion: Rinse out mouth with water and if conscious drink plenty of water. Seek medical attention.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Foam, carbon dioxide, powder, and water spray.

Extinguishing media which must not be used for safety reasons: None known.

Special exposure hazards: None known.

Special protective equipment for fire-fighters: Chemical protection suit / gloves / boots and self-contained breathing apparatus.

HS158-MBFR-04-2023 ISSUE 5

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protection equipment.

Environmental precautions: Do not dispose of into surface water or sanitary sewer system.

Methods for cleaning up: Scrape up excess and dispose of at an approved site.

7. HANDLING AND STORAGE

Handling precautions: Not applicable.

Storage conditions: Store in closed containers between + 5°C and + 30°C in dry conditions. Avoid extremes of temperature.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters: Not applicable. Engineering measures: Not applicable. Personal protection equipment: Respiratory protection: Not applicable.

Hand protection: Gloves. Eye protection: Goggles.

Skin and body protection: Not applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES

Colour White Form White paint Odour Low odour . 7.2 - 8.2pH as supplied Boiling point/range Not determined. Melting point/range Not applicable. Flash point Not applicable. Flammability (solid, gas) Not applicable. Auto ignition temperature Not applicable. **Explosive properties** Not applicable. **Oxidizing properties** Not applicable. Vapour pressure Not applicable. Bulk density 1.28 to 1.31 g/cm³

Solubility:

Water solubility Miscible.
Partition coefficient Not applicable.

(n-octanol/water)
Other data

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Avoid extremes of temperature especially frost and freezing conditions.

Materials to avoid: None, under normal conditions of use.

Hazardous decomposition products: No decomposition if stored and applied as directed.

HS158-MBFR-04-2023 ISSUE 5

11. TOXICOLOGICAL INFORMATION

Not Applicable

12. ECOLOGICAL INFORMATION

Not Applicable

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations at approved sites.

14. TRANSPORT INFORMATION

UK road/rail	Not applicable. None hazardous.
IMDG	Not applicable. None hazardous.
ICAO	Not applicable. None hazardous.
ADR	Not applicable. None hazardous.

15. REGULATORY INFORMATION

Supply classification:

(!)

Hazard symbol(s):

May product an allergic reaction.

Trace elements carry the following H-phrases for their bulk material: H301 H302 H311 H314 H315 H317 H318 H330 H400 H410 H411

Risk phrases:

Safety phrases: S2 – Keep out of the reach of children S23 – Do not breathe vapour/spray.

16. OTHER INFORMATION

Recommended useDecorative coating with fire retardant properties.

Further information Consult technical data sheet.

History

Date of printing14 April 2023Date of issueApril 2023

Version 5

Prepared by Intumescent Systems Limited

The information contained in the Health and Safety Data Sheet is provided in accordance with the requirements of the most recent REACH Regulations. The product should not be used for purposes other than those shown without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. This information contained in the safety data sheet is based on present knowledge and current EU legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.